

UCR #:

Hazard Location:

Hazard Description:

Reason for Delay In Abatement:

Risk Assessment (indicate one):

☐ **Level 1** = Severe and imminent threat to life, property, and/or environment. Immediate actions must be taken to safeguard employees and facilities. Highest Risk, highest Priority.

☐ **Level 2** = Serious or likely threat to safety, health, property and/or environment. Immediate actions must be taken to safeguard employees and facilities. High risk, high priority.

☐ **Level 3** = Moderate threat to safety, health, property and/or environment. Prompt actions should be taken to mitigate the hazard. Moderate risk, moderate priority.

☐ **Level 4** = Slight or unlikely threat to safety, health, property and/or environment. Actions should be taken to mitigate the hazard in line with other priorities. Low risk, low priority.

☐ **Level 5** = Generally in the nature of a technical violation of a standard with little or no real-world impact. Actions should be taken to correct finding to achieve compliance. Lowest risk.

Interim Control Measures:

(Measures taken must be verifiable through workplace inspection or records. Attachment of procedures, records of informative briefings or training, and photos of measures implemented are encouraged.)

Planned Corrective Actions:

Estimated Cost - \$

Estimated Abatement Date-

Assistance Requested From Higher Authority:

Who –

What –

When