

STANDARDS

Standards

- About
- Access Standards
- What's New
- Catalog of Standards
- Sustainability Standards
- Availability of UL Standards
- Develop Standards
- UL Standards for Canada

Home > Standards > Access Standards > Catalog of Standards > Standard Detail



Catalog of Standards



UL 1660
Liquid-Tight Flexible Nonmetallic Conduit

Browse the Catalog of Standards

Scope Table of Contents

1.1 These requirements cover liquid-tight flexible nonmetallic conduit in the 3/8 - 4 (12 - 103) trade sizes of Type LFNC-A (Layered), Type LFNC-B (Integral), and Type LFNC-C (Corrugated) constructions. The conduit is intended for installation in accordance with the National Electrical Code (NEC) and the Canadian Electrical Code (CEC), Part 1. The values in parentheses are metric trade designators of conduit.

1.2 Conduit covered by this Standard is intended for use in wet, dry, or oily locations at a maximum of 60°C (140°F), unless otherwise marked. (See Clause 6.)

1.3 Fittings for liquid-tight flexible nonmetallic conduit are covered in UL 514B or CSA C22.2 No. 18.3.

Details

Edition Number: 4

Edition Date: 02/16/2004

Price Code: D

Type: ULCSA

ANSI Approved: 04/19/2013

DOD Approved: —

UL 1660 References these Standards

UL 94» UL 514B»



UL is a global independent safety science company offering expertise across seven key strategic businesses: Product Safety, Environment, Information and Insights, Life & Health, Verification Services, Enterprise Services, and Workplace Health & Safety. Our breadth, established objectivity and proven history mean we are a symbol of trust and enable us to help provide peace of mind to all.

About UL

- History
- Leadership
- Careers
- Corporate Social Responsibility
- Newsroom
- Noteworthy

Information for

Dashboard

- Library
- Marks Hub
- Services
- Standards
- Help
- Sitemap
- FAQs

Resources

- MyHome at UL
- Online Certifications Directory
- Certification Marks
- UL Collaborative Standards Development System
- Standards Certification Customer Library
- UL iQ ™
- Request a Quote

[more](#)

[Manufacturers](#)

[Contact](#)

[Report a Concern](#)

[Code Authorities](#)

[New to UL](#)

[Consumers](#)

[Retailers](#)

STANDARDS

Standards

About

Access Standards

What's New

Catalog of Standards

Sustainability Standards
Availability of UL Standards

Develop Standards
UL Standards for Canada

Home > Standards > Access Standards > Catalog of Standards > **Standard Detail**



Catalog of Standards



UL 1660
Liquid-Tight Flexible Nonmetallic Conduit

Browse the Catalog of Standards

Scope Table of Contents

Cover
Transmittal
UL Harmonized Standard Title Page
Table of Contents
Foreword
UL Foreword
Liquid-Tight Flexible Nonmetallic Conduit
 1 Scope
 2 Definitions
 3 General
 3.1 Components
 3.2 Reference publications
 3.3 Units of measurement
 4 Construction
 4.1 General
 4.2 Materials
 4.3 Dimensions
 5 Tests
 5.1 General
 5.2 Vertical flame test
 5.3 Flame test in cable trays - FT4 (OPTIONAL)
 5.4 Cold impact
 5.5 Resistance to deflection
 5.6 Tension
 5.7 Secureness forces
 5.8 Cold flexibility
 5.9 Deformation
 5.10 Mechanical water absorption test
 5.11 Moisture penetration
 5.12 Weather resistance
 5.13 Physical properties of separate jacket and of integral lining or jacket requirements
 5.14 Apparatus for conducting physical tests
 5.15 Durability of ink printing
 5.16 Direct burial stiffness (FOR U.S. ONLY)
 6 Markings
 6.1 Surface
 6.2 Package
TABLES
FIGURES
Superseded List

Details

Edition Number: **4**
Edition Date: **02/16/2004**
Price Code: **D**
Type: **ULCSA**
ANSI Approved: **04/19/2013**
DOD Approved: —

UL 1660 References these Standards

UL 94» UL 514B»



UL is a global independent safety science company offering expertise across seven key strategic businesses: Product Safety, Environment, Information and Insights, Life & Health, Verification Services, Enterprise Services, and Workplace Health & Safety. Our breadth, established objectivity and proven history mean we are a symbol of trust and enable us to help provide peace of mind to all.

[more](#)

About UL

[History](#)

[Leadership](#)

[Careers](#)

[Corporate Social Responsibility](#)

[Newsroom](#)

[Noteworthy](#)

Information for

[Manufacturers](#)

[Code Authorities](#)

[Consumers](#)

[Retailers](#)

Dashboard

[Library](#)

[Marks Hub](#)

[Services](#)

[Standards](#)

Help

[Sitemap](#)

[FAQs](#)

[Contact](#)

[New to UL](#)

Resources

[MyHome at UL](#)

[Online Certifications Directory](#)

[Certification Marks](#)

[UL Collaborative Standards Development System](#)

[Standards Certification Customer Library](#)

[UL iQ™](#)

[Request a Quote](#)

[Report a Concern](#)